

ROAD CUT



 Web: <https://enmaxgroup.com>
 WhatsApp: +86-15263456738
 E-mail: manager@enmaxgroup.com
 Factory:
Jiacheng Road west, No.338 Provincial Road South,
Economic Development Zone, Jining, Shandong

**Values**

**Spirit**

**Mission**

**Global**



COMPANYBRAND PROFILE



COMPANY INTRODUCTION

Advantages	-----	03
Corporato Culture	-----	04

MINI EXCAVATOR ACCESSORIES

D01-06	-----	06
D07-12	-----	07
D13-14	-----	08
D15-20	-----	10
D21-24	-----	11
D25-34	-----	12
D35-40	-----	13
D41-42	-----	14

SKID STEER LOADER ACCESSORIES

L01-07	-----	16
L08-12, L14	-----	17
L13, L08-12, L19	-----	20
L18, L20-23	-----	21
L25-30	-----	22

THREE CORE ADVANTAGES



PROFESSIONAL

We take thoughtful, professional sales service as the purpose, is committed to providing products beyond customer expectations.



COMPETITIVENESS

Our company has sufficient resources and capabilities, in order to control the cost price advantage and provide excellent products and services.



GOOD SERVICE

With ten-years experience in manufacturing and marketing. All of our products are greatly appreciated.



Values

- 坚持诚信为本 客户至上
- 坚持质量第一 服务至上



Mission

- 为客户提供优质的产品
- 为客户提供专业的服务



Spirit

- 坚持诚信经营 客户至上
- 坚持质量第一 服务至上



Global

- 坚持诚信经营 客户至上
- 坚持质量第一 服务至上



A machine can be configured with a variety of auxiliary tools, a multi-purpose machine.



MINI EXCAVATOR ACCESSORIES

NEW

D01

ACCESSORIESD

Bucket width:380mm(15")

With teeth

bucket capacity:0.025mm³

Weight: 30.5kg

NEW

D02

ACCESSORIESD

Bucket width:200mm(8")

With teeth

Package size:570mm*280mm*390mm

Package weight:16kg

NEW

D03

ACCESSORIESD

Bucket width:260mm(10.5")

With teeth

Weight:20kg

NEW

D04

ACCESSORIESD

Bucket width:500mm(20")

Toothless

Package size:570mm*420mm*390mm

Package weight:19kg

NEW

D05

ACCESSORIESD

Bucket width:380mm(15")

With teeth

bucket capacity:0.025mm³

Weight: 30.5kg

NEW

D06

ACCESSORIESD

Bucket width:600mm (24")

Toothless

Package size:700mm*420mm*390mm

Package weight: 21kg

NEW

D07



ACCESSORIESD

Bucket width:1000mm(39.5")

Toothless

Package size:1100mm*420mm*390mm

Package weight:32kg

NEW

D08



ACCESSORIESD

Bucket width:(47.5")

Toothless

Package size:1320mm*420mm*390mm

Package weight:36.7kg

NEW

D09



ACCESSORIESD

Bucket width:600mm(24")

Toothless

Package size:720mm*460mm*520mm

Package weight:42kg

NEW

D10



ACCESSORIESD

Bucket width:800mm (32")

Toothless

Package size:950mm*460mm*520mm

Package weight:50.5kg

NEW

D11



ACCESSORIESD

Bucket width:1000mm(39.5")

Toothless

Package size:1150mm*460mm*520mm

Package weight:58.6kg

NEW

D12



ACCESSORIESD

Bucket width:1200mm (47.5")

Toothless

Weight: 73kg

NEW

D13



ACCESSORIESD

Bucket width:600mm(24")

Toothless

Package size:670mm*420mm*390mm

Package weight:17kg

NEW

D14



ACCESSORIESD

Bucket width:800mm(32")

Toothless

Package size:900mm*420mm*390mm

Package weight:20.5kg



Wear-resistant material -Easy installation and operation, safe and reliable -Suitable for excavating general clay and handling sand, soil, and gravel.



Excavator additional grabbing functions; at the same time, when the bucket is excavating, the material is easy to fall when the bucket is excavating, resulting in low excavation efficiency; therefore, on the basis of traditional excavators, a Thumb is often set under the bucket, and the Thumb cooperates with the bucket to play a clamping role.

NEW

D15



ACCESSORIESD

□ □ □ □ □ □ □ □ □ □

Width :800mm

Maximum opening width 645mm

Capacity 0.08m³

NEW

D16



ACCESSORIESD

□ □ □ □ □ □ □ □ □ □

Grabbing weight: 200kg

Maximum opening:700mm

Opening and closing angle:150°

Package size:620mm*240mm*190mm

Package weight:7kg

NEW

D17



ACCESSORIESD

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

Grabbing weight:200kg

Opening and closing angle: 150°

Hydraulic control

Package size:620mm*240mm*190mm

Package weight:14.5kg

NEW

D18



ACCESSORIESD

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

Bucket width:500mm(20")

Toothless

Package size:570mm*420mm*390mm

Package weight:19kg

NEW

D19



ACCESSORIESD

□ □ □ □ □ □ □ □ □ □

Pin shaft:φ25mm

Open gear:92mm

Axle spacing:85mm

Package size:280mm*170mm*190mm

Package weight:7.6kg

NEW

D20



ACCESSORIESD

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

Pin shaft:φ25mm

Open gear:92mm

Axle spacing:85mm

Package size:280mm*190mm*190mm

Package weight: 14.5kg



ACCESSORIESD 液压系统

hydraulic system



ACCESSORIESD 倾斜角度

Tilt angle $\pm 90^\circ$

Max.torque 950Nm



ACCESSORIESD 360° 旋转

360° Rotation

Max. loading capacity:100kg

Package size:420*260*340mm

Package weight:36kg



ACCESSORIESD 钻头

Flow:53LPM

Drill diameter:200mm

Rotary speed:329

Package size:930mm*260mm*420mm

Package weight:34kg

Pressure:124-138bar

Depth:1000mm



ACCESSORIESD 钻头

Customized



ACCESSORIESD 凿子

Working Pressure:80-110kg/cm²

Breaking rate:500-1200bpm

Chisel Diameter:35mm

Package size:750mm*400mm*530mm

Package weight:82kg




ACCESSORIESD 凿子

Working Pressure:90-120kg/cm²

Breaking rate:500-1000bpm

Chisel Diameter:45mm

Weight:150kg



ACCESSORIESD 牙齿

Width:500mm(Customizable)

Number of teeth:5 (Customizable)

Package size:510mm*550mm*180mm

Package weight:13kg



ACCESSORIESD 铲斗

Length:344.1mm

Pin diameter:Φ25mm

Wheelbase:85mm

Package size:510mm*200mm*200mm

Package weight:12kg



ACCESSORIESD 抓斗

Max.Opening:650mm

Max. grabbing:200kg

Package size:820mm*460mm*600mm

Package weight:25.5kg

NEW

D35



ACCESSORIESD 0 0 0 0 0 0 0 0

Max.Opening:650mm,850mm
Max. grabbing:200kg,300kg
Package size:790mm*440mm*570mm
Package weight:24.9kg

NEW

D36



ACCESSORIESD 0 0 0 0 0 0 0 0

Max.opening:800mm
Max grabbing: 200kg
360° Rotation
Package size:530mm*270mm*610mm
Package weight:73kg

NEW

D37



ACCESSORIESD 0 0 0 0 0 0

Teeth No.: 19
Work pressure:10Mpa -22Mpa
Cutting speed 50-300 times/min
Cutting width 1500mm
Cutting diameter 20mm
Package size:1520mm*370mm*380mm
Package weight:50.4kg

NEW

D38



ACCESSORIESD 0 0 0 0 0 0 0 0

Work pressure 12-21Mpa
Speed 700-2000r/min
Maximum torque 21.4nm
Package size:510mm*510mm*310mm
Package weight:20kg

NEW

D39



ACCESSORIESD 0 0 0 0 0 0 0 0

Cone Size:φ200X290mm
Max Torque:1200Nm
Max Log Diameter: 400mm
Speed Range :30-102(r/min)
Package size:980mm*280mm*220mm
Package weight:42.8kg

NEW

D40



ACCESSORIESD 0 0 0 0 0 0 0 0

Control: Hydraulic
Flow:4ml/r
Vibration Frequency: >800

NEW

D41



ACCESSORIESD 0 0 0 0 0 0 0 0

Length:1373mm
Width:576mm
Pin diameter:Φ25mm
Max. Loading capacity: 300kg
Package size:930mm*730mm*200mm
Package weight:56.1kg


NEW

D42



ACCESSORIESD 0 0 0 0 0 0 0 0

Max.Depth:270mm
Max. Width:300mm
Package size:600mm*160mm*610mm
Package weight:21.1kg



A machine can be configured with a variety of auxiliary tools, a multi-purpose machine.



NEW

L01



ACCESSORIESD

Size:519*1150*322mm

Bucket capacity:0.15m³

NEW

L02



ACCESSORIESD

Bucket capacity:0.14m³

Size:1223*95*525mm

Rated loading:109kg

Package size:1070mm*730mm*540mm

Package weight: 104kg

NEW

L03



ACCESSORIESD

Dimention:1305*650*680mm

Digging depth: 1560mm

Bucket capacity : 0.03m³

Package size:1660mm*630mm*550mm

Package weight: 102kg

NEW

L04



ACCESSORIESD

Dimention:720*870*595mm

Weight:165kg

Loading capacity:200kg

Mixer tank capacity:0.09m³

Package size:1050mm*750mm*700mm

Package weight:179kg

NEW

L06



ACCESSORIESD

Dimention:1050*770*350mm

Teeth space:86mm

Package size:1050mm*770mm*350mm

Package weight:72kg

NEW

L07



ACCESSORIESD

Size:1027mm*779mm*518mm

Max, dumping angle:58°

Bucket capacity:0.19m³

Max. Dumping height:1723mm

Min. dumping distance:655mm


Rated loading weight:140kg

Bucket weight:112kg



SKID STEER LOADER ACCESSORIES

Looseners can dig up or loosen dirt, sand and gravel.
It can improve soil structure and promote plant growth.



ACCESSORIESD	□ □ □ □ □ □ □ □ □ □ □ □ □ □
Size:980x770x600mm	
Max.opening angle:80 °	
Rated load capacity:110kg	
System pressure:16Mpa	
Package size:970mm*830mm*680mm	
Package weight:135kg	



ACCESSORIESD	□ □ □ □ □ □ □ □ □ □ □ □ □ □
Size:988mm*620mm*500mm	
Maximum cutting depth :300mm	
Blade diameter :400mm	
System pressure :16Mpa	
Package size1 :990mm*630mm*510mm	
Package weight :125kg/140kg	



ACCESSORIESD	□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □
Overall size:960mm*660mm*780mm	
Weight:143kg	
Grapple force:20KN	
Max.open size:620mm	



ACCESSORIESD	□ □ □ □ □ □ □ □ □ □ □ □ □ □
Size:1170mmx550mmx1320mm	
Maximum opening :1150mm	
Tooth pitch :245mm	
Weight :135kg	



ACCESSORIESD	□ □ □ □ □ □ □ □ □ □ □ □ □ □
Splitting diameter:300mm	
Splitting Length:550mm	
Working pressure:160Bar	
Package size:1700mm*460mm*970mm	
Package weight:178kg	



ACCESSORIESD	□ □ □ □ □ □ □ □ □ □ □ □ □ □
Size:484mm*351mm*628mm	
Max. dig depth:335mm	
Package size:630mm*350mm*500mm	
Package weight:51kg	

A variety of fittings can be replaced to meet a variety of work needs.



NEW

L13



ACCESSORIESD

□ □ □ □

Dimension:1125mm*895mm*715mm

Length:920mm

Weight:88kg

Max. fork width:841mm

Rated load capacity:120kg

Package size:880*720*220mm

Package weight:68kg

Package size:900mm*860mm*220mm(with side-shift)

Package weight:128kg(with side-shift)

NEW

L15



ACCESSORIESD

□ □ □ □ □ □ □ □ □ □

Dimension:1100mm*650mm*520mm

Weight:120 kg

Tilting angle: +30°

Blade width at maximum tilt angle: 870mm

NEW

L16



ACCESSORIESD

□ □ □ □ □ □ □ □ □ □ □ □

Dimension:925mm*1417mm*525mm

Brush diameter:500mm

Sweeping width:1050mm

Package size:1360mm*600mm*850mm

Package weight:163kg

NEW

L17



ACCESSORIESD

□ □ □ □ □ □ □ □ □ □ □ □

Overall dimension:766mm*1060mm*1005(860)mm

Weight:136kg

Snow blowing volume/Hour: 40-50(T)

Max.throwing thickness: 330mm

Sweeping width:990mm

Max.throwing distance:8--12m

Throwing adjustment angle:0-360°

Package size:1120mm*770mm*900mm

Package weight:168kg

NEW

L19



ACCESSORIESD

□ □ □ □ □ □ □ □ □ □ □ □

Working pressure:16Mpa

Working flow:50-100L/min

Package size:530mm*800mm*950mm

Package weight:115kg

NEW

L18



ACCESSORIES

Overall dimention:1600mm*630mm*730mm
Weight:150kg
Max. trenching depth:800mm
Once trenching width:155mm
Chain speed:128m/min
Package size:1820mm*640mm*830mm
Package weight:182kg

NEW

L20



ACCESSORIES

Size:1260mm*1360mm*530mm
Weight:184kg
Cutting width:1070mm
Cutting height:25-100mm
Blades:3pcsFlow:25L/min
Package size:1250mm*1110mm*500mm
Package weight:129kg

NEW

L21



ACCESSORIES

Dimention:1236mm*1295mm*446mm
Cutting height:500mm
Cutting width:1185mm
cutting blades:2pcs
Weight:170kg
Package size:1350mm*1400mm*560mm

NEW

L22



ACCESSORIES

Size:393mm*316mm*628mm
Weight:48.4kg

NEW

L23



ACCESSORIES

Overall dimention:775mm*850mm*460mm
Max.stump height:500mm
Max.cutting depth:300mm
Stump teeth qty:16pcs
Weight:120kg
Package size:900mm*520mm*860mm
Package weight:151kg

NEW

L25



ACCESSORIES

Size:800*1000mm
Weight:65Kg
Package size:1000mm*1000mm*350mm
Package weight:49kg

NEW

L26



ACCESSORIES

Size:900mm*1100mm*365mm
Flat soil area:10m³
Weight: 120kg

NEW

L27



ACCESSORIES

Working width:1000/1500mm
Weight : 350/412kg
Vibration frequency:10-20 Hz
Package size:1270mm*580mm*750mm
Package weight:320kg

NEW

L28



ACCESSORIES

Size:1016mm*944mm*536mm
Brush diameter:500mm
Sweeping width:105mm

NEW

L29



ACCESSORIES

Weight:238Kg
Max. digging depth:1000mm
Max. digging radius:2440mm
Digging bucket capacity:0.014m³
Overall dimention:1600mm*1140mm*1300mm
Bucket lifting power:33KN
Package size:1800mm*1050mm*1550mm

NEW

L30



ACCESSORIES

Max>Loading Weight:3000kg
Size:3900*2016*2206mm